

# Krylon Catalogue

## Why Krylon?

Krylon is the USA market leader with high brand recognition and formulated to be the best paint possible and its quality and coverage are second to none.

**NO RUNS NO DRIPS NO ERRORS** formulation means anybody can use and get a smooth professional result, offering the consumer a wider variety of applications and appeals to the most fastidious of users.

**EZ Touch 360° Dial Spray Tip and Danvern Valve** to ensure superior application without the risk of clogging.

A colour range of patented formulations are in fact unsurpassed and caters for both modern colours whilst maintaining a range of traditional colours for all needs.

A full range of latest designer colour trends are great for DIY projects, hobbyists and crafter's and fully batch tested for quality prior to release from factory.

All manufacturing complies with the toughest and most stringent environmental regulations in the world.

Cans are 100% recyclable & made from 25% recycled steel.

## **Krylon® Colourmaster Paints & Primer**

## **Krylon® Fusion® Plastic Paint**

## **Krylon® Rust Tough® Rust Preventive Enamel**

## **Krylon® Metallics Paint**

## **Krylon® High Heat Paint**





## **Krylon® Artist & Clear Coatings**

Colours are a representation only. Actual results may vary.



# KRYLON® COLORMASTER® PAINT + PRIMER

## PRIMER

-   
 7-24504-01315-0  
61 1315  
All-Purpose White
-   
 7-24504-51321-6  
62 1321  
Plastic Primer White
-   
 7-24504-01316-7  
61 1316  
Charcoal Black
-   
 7-24504-01318-1  
61 1318  
All-Purpose Grey



## ACRYLIC CRYSTAL CLEAR

-   
 7-24504-01301-3  
61 1301  
Acrylic Crystal Clear Gloss
-   
 7-24504-01313-6  
61 1313  
Acrylic Crystal Clear Satin



- |  |   |   |  |
|--|---|---|--|
| <br>7-24504-01501-7<br>61 1501<br>Gloss White           | <br>7-24504-01502-4<br>61 1502<br>Flat White             | <br>7-24504-01508-6<br>61 1508<br>Semi-Gloss White       | <br>7-24504-01504-8<br>61 1504<br>Gloss Ivory           |
| <br>7-24504-01601-4<br>61 1601<br>Gloss Black            | <br>7-24504-01602-1<br>61 1602<br>Flat Black             | <br>7-24504-51603-3<br>61 1603<br>Semi-Gloss Black       | <br>7-24504-01613-7<br>61 1613<br>Satin Black           |
| <br>7-24504-03551-0<br>61 3551<br>Gloss Classic Grey    | <br>7-24504-01506-2<br>61 1506<br>Gloss Almond          | <br>7-24504-03533-6<br>61 3533<br>Gloss Watermelon     | <br>7-24504-03531-2<br>61 3531<br>Gloss Georgia Clay  |
| <br>7-24504-02504-7<br>61 2504<br>Gloss Khaki         | <br>7-24504-03571-3<br>61 3571<br>Gloss Mambo Pink     | <br>7-24504-01901-5<br>61 1901<br>Gloss Regal Blue      | <br>7-24504-01517-8<br>61 1517<br>Gloss Peekaboo Blue |
| <br>7-24504-01606-9<br>61 1606<br>Gloss Pewter Gray   | <br>7-24504-01608-3<br>61 1608<br>Gloss Smoke Gray     | <br>7-24504-03554-1<br>61 3554<br>Gloss Saddle Tan     | <br>7-24504-02118-6<br>61 2118<br>Gloss Burgundy       |
| <br>7-24504-01907-7<br>61 1907<br>Gloss Navy Blue     | <br>7-24504-01910-7<br>61 1910<br>Gloss True Blue      | <br>7-24504-01913-8<br>61 1913<br>Gloss Purple         | <br>7-24504-02101-8<br>61 2101<br>Gloss Cherry Red    |
| <br>7-24504-01512-3<br>61 1512<br>Blue Ocean Breeze    | <br>7-24504-02411-8<br>61 2411<br>Gloss Pumpkin Orange | <br>7-24504-02501-6<br>61 2501<br>Gloss Leather Brown  | <br>7-24504-03540-4<br>61 3540<br>Gloss Sweet Cream   |
| <br>7-24504-02016-5<br>61 2016<br>Gloss Emerald Green | <br>7-24504-03570-6<br>61 3570<br>Gloss Citrus Green    | <br>7-24504-52102-0<br>61 2102<br>Gloss Raspberry      | <br>7-24504-03549-7<br>61 3549<br>Gloss Bahama Sea    |
| <br>7-24504-01806-8<br>61 1806<br>Gloss Sun Yellow    | <br>7-24504-01914-5<br>61 1914<br>Gloss Rich Plum      | <br>7-24504-02108-7<br>61 2108<br>Gloss Banner Red      | <br>7-24504-03535-0<br>61 3535<br>Gloss Tuscan Sunset |
| <br>7-24504-03546-6<br>61 3546<br>Gloss Global Blue   | <br>7-24504-03532-9<br>61 3532<br>Gloss Tomato         | <br>7-24504-03534-3<br>61 3534<br>Gloss Ballet Slipper |  |



# KRYLON® GENERAL PURPOSE

Krylon aerosol's most famous benefit is **COVERAGE** with Covermax® technology providing brilliant colour. Technically superior solvents and resins allow for more paint per gram to be delivered meaning more paint in the can and less cheap but heavy propellant means you get great value for money compared to any discount or weight comparisons, therefore better value.

Ease of use special ergonomic design allows full control of spray and prevents finger tiredness. Specifically designed valves for formulations ensure proper mix and flow. Guaranteed.

Dries in 10 minutes or less with re-coat times of 1 minute and upwards - a fraction of any competitor product without sacrificing performance so surfaces are never compromised during long dry intervals, the result being a smooth and flawless finish.

Has excellent weatherability and allows you to get the job done faster and with a superior result.

Great colour range with high impact.

**For use on: Wood, Metal, Plastic, Wrought Iron, Plaster, Ceramic, Fabric, Paper, Paper Mache.**

**Dry to Touch - 10 minutes**  
**Dry to Handle - 1 hour**

# KRYLON® PLASTIC PAINT

**THE NO-PREP,  
SUPERBOND  
PAINT FOR PLASTIC**

Fusion is the revolutionary no-prim, superbond paint for plastic. No sanding or primer required. It bonds easily to most plastics, PVC, vinyl, resin & more. Use Fusion to restore, revive or restyle plastic items. Fusion dries in 15 minutes or less and is fully chip resistant after 7 days. Specifically designed valves for formulations ensure proper mix and flow. Guaranteed. For indoor and outdoor use.

**For use on: Wood, Metal, Plastic, Wicker, Hard Vinyl, Glass, Wrought Iron, Plaster, Ceramic, Fabric, Paper, Paper Mache.**

**Dry to Touch - 15 minutes**  
**Dry to Handle - 1 hour**

# KRYLON® FUSION®


- Bonds easily to most plastics, Vinyl, PVC, resin and more
- No sanding or priming
- Indoor/outdoor use

## GLOSS • SATIN • FLAT

- |   |   |  |   |
|---|---|--|---|
| <br>7-24504-02320-3<br>61 2320<br>Gloss White          | <br>7-24504-02321-0<br>61 2321<br>Gloss Black          | <br>7-24504-02322-7<br>61 2322<br>Gloss Dover White | <br>7-24504-02323-4<br>61 2323<br>Gloss River Rock       |
| <br>7-24504-02324-1<br>61 2324<br>Gloss Hunter Green | <br>7-24504-02342-5<br>61 2342<br>Gloss Gumdrop      | <br>7-24504-02343-2<br>61 2343<br>Gloss Plum      | <br>7-24504-02329-6<br>61 2329<br>Gloss Patriotic Blue |
| <br>7-24504-02328-9<br>61 2328<br>Gloss Red Pepper   | <br>7-24504-02327-2<br>61 2327<br>Gloss Spring Grass | <br>7-24504-02330-2<br>61 2330<br>Gloss Sunbeam   | <br>7-24504-02328-9<br>61 2327<br>Gloss Pumpkin Orange |
| <br>7-24504-02340-1<br>61 2340<br>Gloss Espresso     | <br>7-24504-02518-4<br>61 2518<br>Flat White         | <br>7-24504-02519-1<br>61 2519<br>Flat Black      |   |



## KRYLON® RUST TOUGH



- **Maximum rust protection**
- **Durability**
- **Smooth finish**
- **No primer required**

## KRYLON® RUST ELIMINATOR

Rust Tough is a fast dry rust eliminating enamel with high levels of corrosion inhibitor. High resistance to salt and superior fade resistant gives an extremely versatile field of use on metal, wood and more without primer. Provides an ultra-high gloss finish. Specifically designed valves for formulations ensure proper mix and flow. Guaranteed.

For use on: Metal, Wood, Masonry, Concrete, Wicker, Ceramic, Glass, Plaster.



**Krylon® Rust Tough® Outperforms Rust-Oleum® Stop Rust®\***

Krylon® Rust Tough®		vs.	Competition	
Dry to the touch	8 minutes	vs.	2-4 hours	
Handled after	30 minutes	vs.	5-9 hours	
Touch-up window	2 hours	vs.	within 1 hour	

\*Source: Rust-Oleum® label



## KRYLON® HIGH HEAT

### KRYLON® HIGH HEAT

GIVE EXTREME TEMPERATURE PROJECTS A HOT NEW LOOK.

Unique projects, like painting the grill, call for a specialist. Krylon® High Heat delivers a durable enamel finish that can stand up to high-temperature swings. In just minutes, you can keep your grill, firepit, fireplace screen and even your stove looking new longer with a beautiful, seamless finish that lasts.

- Provides maximum colour and rust protection
- Withstands temperatures up to 1200°F (649°C) intermittently; up to 600°F (315°C) continuously\*
- Interior or exterior use on metal.
- Not for use on cooking surfaces.
- Dries in 10 minutes or less

#### PROPERTIES:

Net Weight: 340g  
Type: Alkyd  
Dries to Touch: 10 minutes  
Dries to Handle: 1 hour  
Maximum Film Properties: 7 days  
Recoat Window: Anytime  
Coverage: 1.8 square metres  
Application Conditions: 50°F - 85°F; 15°C - 30°C; less than 85% relative humidity  
Temperature Resistance: 649°C  
Application: Metal

Cleanup: paint or lacquer thinner.

#### SURFACE PREPARATION:

For best adhesion remove loose paint, rust, dirt, grease or oil from surface. Sand glossy or rough surfaces until smooth and wipe clean, apply to a dry surface.

\*Not for use on kitchen stoves. Do not apply on surfaces exposed directly to flames.



Krylon® Artist & Clear Coatings provide a permanent, protective coating where finishes will not yellow or age, resistant to water and smudge proof.




## KRYLON® METALLIC



### Krylon® Metallic Paint

- Provides a bright, polished metallic finish.
- Ideal for furniture, décor and crafts.
- Interior only; not for use on craft foam.
- Features EZ Touch 360°® Dial Spray Tip.
- Dries to touch: 10 minutes.
- Dries to handle: 1 hour.
- For use on: Wood, Metal, Plastic, Paper Mache, Glass, Plaster, Ceramic, Wicker.



## KRYLON® FINE ART & CLEARS



### Krylon® Acrylic Crystal Clear

- Permanent, protective gloss finish.
- Non-yellowing.
- Moisture resistant.
- Dries to touch in 10 -15 minutes.

**ITEM # DESCRIPTION**

**62 1303 Acrylic Crystal Clear**



### Krylon® Workable Fixatif

- Protects pencil, pastel and chalk drawings.
- Prevents smudging and wrinkling.
- Allows easy rework.
- Acid-free/archival-safe.
- Dries in 10 - 15 minutes.

**ITEM # DESCRIPTION**

**62 1306 Workable Fixatif**



### Krylon® Matte Finish

- Permanent protective matte coating.
- Eliminates glossy sheen.
- Non-yellowing
- Moisture resistant.
- Dries in 10 - 15 minutes.

**ITEM # DESCRIPTION**

**62 1311 Matte Finish**

### Krylon® Triple-Thick Crystal Clear Glaze

- Bright, glass-like coating.
- Superior high-gloss finish.
- Non-firing glaze for polymer clay, bisque, plaster and more.
- Dries to touch in 10 -15 minutes.

**ITEM # DESCRIPTION**

**61 500 Triple-Thick Glaze**